



LUBRICATING
SPECIALTIES COMPANY



UNITRAN[®] SYN MVP ATF_s

TODAY'S FULL SYNTHETIC COVERING ALL YOUR ATF NEEDS


Designed to cover 100% of the
light duty planetary gear transmissions
in the marketplace today.

**For a transmission to be efficient, it needs the right ATF to perform on the road.
For you to be efficient, you need the right ATFs to meet those needs.**

UNITRAN® SYN MVP ATFs are designed to meet the more demanding needs of the latest generation of light-duty planetary gear transmissions on the road, whether they require a low viscosity ATF fluid balanced for improved fuel economy performance or a high viscosity ATF fluid focused on wear protection and durability performance.

Specifically designed to handle the increased power densities, higher operating temperatures and extended drain intervals of today's planetary gear transmissions, these full-synthetic ATF products provide peak performance in a range of domestic and import applications making them the only ATFs you need for these transmissions.

Covers **100%*** of light-duty planetary gear transmissions on the road today



*UNITRAN® SYN LoVis MVP and UNITRAN® SYN HighVis MVP ATFs are specifically formulated for modern planetary gear hardware and are not recommended for continuously variable transmissions (CVTs), dual clutch transmissions (DCTs), or in 30+ year-old planetary gear transmissions calling for Type F, estimated to be used in less than 2 out of 1000 vehicles.


But what good is coverage without quality...

UNITRAN® SYN MVP ATFs uniquely balanced performance provides...

- Enhanced shear control for long lasting lubrication
- Superior wear protection and corrosion control to extend transmission life
- Fuel economy advantages
- Excellent oxidation control and foaming resistance to extend oil life and reduce sludge
- Additional torque holding for greater load capacity
- Superior shift stability and clutch durability to maintain shift feel over time
- Extended shudder control for smoother acceleration



The Right Fluid for the Application

A single ATF can't meet the viscometric requirements of all vehicle transmissions. That's why we offer UNITRAN® SYN MVP LoVis for cars with newer transmissions and UNITRAN® SYN MVP HiVis for cars with older transmissions.



Greater Torque Holding

(JASO M348)




Superior Shift Stability

(JASO M348)

Extended Shudder Control

(JASO D-0512)



Fluid viscometrics are one of the key parameters OEMs consider in the design of their transmissions. The use of a fluid with proper viscometrics is recommended by OEMs and ensures optimal performance of the transmission.

UNITRAN® SYN MVP LoVis Application Chart

OEM / ATF	APPLICATION	OEM / ATF	APPLICATION	OEM / ATF	APPLICATION		
ATF	Shell 3353	JASO	M315, Class 1A	Maserati	P/N 231603		
	Shell 134	GM / GMC / Opel / Saturn	AW1	Mazda	FZ		
	Shell M-1375.4		VI	Mitsubishi	ATF-J3		
Bentley	P/N PY112995PA		P/N 88863400	Nissan / Infinity	Matic-S		
BMW / MINI	P/N 83 22 0 142 516	Honda / Acura	P/N 88863401	Porsche	P/N 000 043 304 00		
	P/N 83 22 0 397 114/ 163 514		DW-1	Saab	P/N 93 165 147- AW-1		
	P/N 83 22 2152426		Hyundai / Kia	NWS-9638 T-5	Toyota / Lexus / Scion	Type WS	
Chrysler / Dodge / Jeep	P/N 05127382AA	P/N 040000C90SG		Volkswagen / Audi		G 052 533	
	P/N 68043742AA	SP-IV/ SPH-IV			G 055 005 (-A, A2)		
	P/N 68157995AA	Jaguar	Fluid 8432				G 055 540 (A2)
Mercedes / Daimler	MB 236.12/ 14/ 15/ 41		Fluid 8432				
Ford / Lincoln / Mercury	P/N XT-10-QLV [LV]	Land Rover	P/N TYK500050				
	P/N XT-6-QSP or -DSP [SP]		P/N LR0022460				

UNITRAN® SYN MVP HighVis Application Chart

OEM / ATF	APPLICATION	OEM / ATF	APPLICATION	OEM / ATF	APPLICATION
Allison	C4	GM / GMC / Opel / Saturn	II/ IID/ IIE/ IIIG/ IIHH	Mazda	JWS3317
	Extended Drain		P/N 12378515 [Synthetic]		M-5, P/N XT-9-QMM5
	Standard Drain		P/N 19 40 700		M-III
ATF	Esso LT 71141		P/N 19 40 767	Mitsubishi	Type T-IV
	JWS 3309		P/N 21005966 Transaxle		ATF-J2
	Mobil ATF 3309		P/N 22717466		SP, P/N MS991156
	Shell 3403-M115		P/N 88900925		SP-II/III
	Shell LA 2634		P/N 9986195	Nissan / Infinity	402
	Texaco ETL 7045E		T-IV		Matic-D/ J/ K/ W
	Texaco ETL 8072B		Type A Suffix A	Porsche	P/N 000 043 204 41
	Texaco N402	Honda / Acura	Z-1		P/N 000 043 205 09
			ATF Red-1K		P/N 000 043 205 28
		Hyundai / Kia	Genuine ATF		P/N 999 917 547 00 (A2)
BMW / MINI	P/N 81 22 9 400 272/ 275		JWS-3309 T-4	PSA Peugeot Citroën	P/N Z 000169756
	P/N 81 22 9 407 858/ 859		P/N UM040 CH20 Red-1	Renault	Matic D2
	P/N 83 22 0 024 249/ 359		SP-II / III	Saab	3309 - T-IV
	P/N 83 22 0 026 922	Idemitsu	ATF HP	SSANG YONG	DSIH 5M-66
	P/N 83 22 0 402 413		K17	Subaru	HP
	P/N 83 22 0 403 248	Isuzu	ATF II/III		P/N K0140Y0700
	P/N 83 22 7 542 290		Genuine ATF	Suzuki	3314/ 3317
	P/N 83 22 9 407 765		P/N 08200-9001	Toyota / Lexus / Scion	Type D-II/ T/ T-III/ T-IV
Chrysler / Dodge / Jeep	4	Jaguar	JLM 20238	Volkswagen / Audi	G 052 025 A2
	AS68RC ATF		JLM 20292		G 052 055
	SP-III		JLM 21044		G 052 162 (-A1, -A2)
Mercedes / Daimler	MB 236.3/ 5/ 6/ 7/ 8/ 9		K17		G 052 990 (A2)
	MB 236.10/11/91		WSS-M2C922-A1		G 055 025 (A2)
Ford / Lincoln / Mercury	P/N XT-2-QDX [M]	Land Rover	Esso Type LT 71141	Volvo	G US 000 162
	P/N XT-2-QSM [Syn]		Texaco ETL-7045E		P/N 1161521
	P/N XT-5-QM or -DM [V]	MAN	339A		P/N 1161540 / 1161640
	P/N XT-8-QAW [Premium]	JASO	M315, Class 1A	Volvo Constr. Equip. (VCE)	1273, 41
	P/N XT-9-QMM5 [FNR5]	Mazda	F-1		
	WSS-M2C922-A1				

UNITRAN® SYN MVP ATF's: Today's Full Synthetic, Covering All Your ATF Needs



**LUBRICATING
SPECIALTIES COMPANY**

8015 Paramount Blvd., Pico Rivera, California 90660-4888
Phone 562.776.4000 | Fax 562.776.4171 | www.lsc-online.com